

Short Communication

Arts and Science of Athletic Performance- Short Communication

Abdul Kader Mohiuddin*

Assistant Professor, Department of Pharmacy, World University of Bangladesh

***Corresponding Author**

Abdul Kader Mohiuddin

Article History

Received: 03.08.2019

Accepted: 27.08.2019

Published: 30.09.2019

Abstract: Athletes utilize numerous strategies to reduce body weight or body fat and to increase stamina prior to competition. Personalized nutrition in athletic populations aims to optimize health, body composition, and exercise performance by targeting dietary recommendations to an individual's genetic profile. Additionally, athletes' nutritional requirements may vary widely depending on sport, position, timing of season, and training vs rest day. Bodily hydration during sporting activity is one of the best indicators of health in athletes and can be a limiting factor for sport performance. Treatment for athletes is primarily to increase energy availability and often requires a team approach including a sport physician, sports dietitian, physiologist, and psychologist. Maximizing athletic performance is a passion that athletes, coaches, athlete support professionals, and sports scientists share. A thorough understanding of the basics of all aspects of human physiology and the ability of the body to adapt to the environmental stress of exercise training is the foundation we use to explain the incredible athletic and sport performances that are commonplace in today's world.

Keywords: performance, endurance, stamina, caloric restriction, altering body composition, lower-body heavy strength training; low energy availability; anabolic steroids



Fig-1: Stamina and endurance: The secret behind athletic performance [1-3].

Men may possess more physical strength than women, but the ladies are far superior when it comes to muscle endurance and stamina. Unlike stamina, endurance is concerned with capacity, time or duration is what matters. "Improved stamina and endurance give your body the ability to put your muscles through more time under tension, while an improved pain threshold allows the individual to put their body and mind through more rigorous workouts," - David Wiener, training and nutrition specialist.

INTRODUCTION

By definition, "Stamina" is the ability of an individual's sustainability to some physical and mental effort. Fatigue or laxity can be mental or physical, due to lack of motivation, vigor or energy and underlying injury [4]. All these terms are very much related to athletic performance where pretty much energy (calorie breakdown) is to be spend at a time compared to energy spend by common people in daily activities. During one hour of hard training an athlete may expend 30% of his or her total 24-hour energy output [5]. These high-power outputs have important implications for energy substrate and water requirements. Surprisingly, a recent study by Jäger et.al, 2019 reveals reduction in caloric intake by 30% may increase their energy expenditure by 10% [6]. According to Pons et.al, 2018 caloric restriction (CR) improves athletes' performance and energy efficiency but should be implemented with micronutrient

Copyright @ 2019: This is an open-access article distributed under the terms of the Creative Commons Attribution license which permits unrestricted use, distribution, and reproduction in any medium for non commercial use (NonCommercial, or CC-BY-NC) provided the original author and source are credited.

supplementation during CR programs [7]. Altering body composition in such a manner may be advantageous to the athlete for various biomechanical, aesthetic, and locomotive reasons, thereby increasing the likelihood of competitive success in a target weight-class (e.g., combat sports, weight lifting), weight-sensitive sports (e.g., endurance events, ski jumping), or aesthetically judged sports (e.g., gymnastics and bodybuilding) [8]. Training is the predominant demand in the athletic lifestyle. Optimum adaptation to training requires the careful balancing of stress and recovery [9]. Buckner *et.al*, 2018 concluded that resistance exercise may indirectly impact sports performance through injury prevention, as opposed to directly improving sport related abilities [10]. Schoenfeld *et.al*, 2018 demonstrates that a marked increase in strength and endurance can be attained by resistance-trained individuals with just three 13-min weekly sessions over an 8-wk period [11]. Lower-body heavy strength training performed in addition to endurance-cycling training can improve both short- and long-term endurance performance [12,13]. Bigger muscles don't mean stronger muscles-- research has shown that while bodybuilders' muscles may look big, after a certain point, the strength of a muscle doesn't increase with size [14,15]. Greater muscular strength allows an individual to potentiate earlier and to a greater extent, but also decreases the risk of injury [16]. Bodyweight exercise, isolation exercises, plyometric exercise, unilateral exercise, and kettlebell training may be limited in their potential to improve maximal strength but are still relevant to strength development by challenging time-limited force expression and differentially challenging motor demands [17]. Cardiovascular training can be used to enhance fat loss [18]. Squat training with low/moderate loads combined with light-load sled towing (LST) may be an effective stimulus for improving leg strength, jump ability, COD, and sprint performance. Success in sports such as bodybuilding is dependent on obtaining maximal levels of muscle mass while carrying minimal fat mass [19]. The International Association of Athletics Federations (IAAF) has long recognized the role of diet and nutrition strategies in helping the athlete to achieve these goals. CR enhance the performance of sustained exercise conducted at intensities below the so-called anaerobic threshold [20]. Sleep is recognized as an essential component of physiological and psychological recovery from, and preparation for, high-intensity training in athletes [21]. Also, mental fatigue on endurance performance is the most important factor responsible that gives a negative impact [22,23]. Negative impact is primarily mediated by the greater perception of effort experienced by participants [24]. Combat sports represent around 25% of all Olympic medals disputed, and the success in these sports are determined by technical-tactical excellence and supported by physiological and psychological development [25]. Regardless of sex and wrestling styles, an optimal level of cardiorespiratory fitness is important to help sustaining effort throughout the duration of the match and to stimulate the recovery process between periods [26]. In general, aerobic exercise induces greater improvements in cardiorespiratory fitness and cardio-metabolic variables, whereas resistance exercise mainly effects muscular strength and has positive effects on body composition, such as muscle mass and bone density [27]. The reported prevalence of low energy availability (LEA) in female and male track and field athletes is between 18% and 58% with the highest prevalence among athletes in endurance and jump events [28]. Performance variables associated with LEA included decreased training response, impaired judgement, decreased coordination, decreased concentration, irritability, depression and decreased endurance performance [29]. During dieting phases many athletes may substantially increase their protein intake, as this practice has been shown to be beneficial to maintain lean mass whilst reducing body-fat [30]. Carbohydrates (CHO) and fat are the main sources of fuel oxidized in muscles during exercise [31]. In contrast to fat, endogenous stores of CHO are limited. The storage form of carbohydrate, glycogen, is found almost exclusively in muscle and liver and represents only ~ 8000 kJ (about 1911 kcal) in untrained individuals and about 20–50% higher in trained men and women. However, there is a vast quantity of fat stored even in the leanest of athletes (approximately 600,000 kJ) [32]. Physical performance (mainly endurance) and exercise ability can be limited when endogenous CHO are the dominant fuel [33]. Females athletes are 5 to 10 times more likely than male athletes to have an eating disorder. The prevalence of clinical eating disorders, such as anorexia nervosa or bulimia nervosa, among female elite athletes ranges from 16% to 47% [34,35]. However, in addition to daily meal planning, a sports nutritionist pays special attention to the needs of athletes before, during and following training sessions and competitions [36]. Murtaza *et.al*, 2019 suggests that a low-carbohydrate, high-fat ketogenic diet influences the relative abundances of some key bacterial taxa, with an increase of Bacteroides that paradoxically correlates with fat oxidation [37]. Omega 3 fatty acids play a fundamental role in reducing physiological inflammation through resolvins, and its utility for muscle damage and recovery in sports has been widely demonstrated [38]. Approximately 50% of athletes have reported consuming some form of micronutrient supplement; however, there is limited data confirming their efficacy for improving performance [39]. Mohiuddin, 2019 reported myocardial infarction, myocardial hypertrophy, hypertension, mood disorders, aggressive behavior, dependence syndrome, or cognitive effects with anabolic steroids. Caffeine is perhaps the most common pre-workout stimulant consumed by athletes, which primarily affects the cardiovascular system and leads to sleep disorders [40]. However, caffeine doses of 1 and 5 mg/kg ameliorated loss of skill performance in elite rugby players following sleep restriction [41]. Review from Ramezani *et.al*, 2019, Chang *et.al*, 2019 and Coqueiro *et.al*, 2019 reported that glutamine (one of the most abundant amino acids in many human tissues) supplementation has no effect on athletics immune system, aerobic performance, body composition but promotes weight reduction, provides host energy reserves and prevent fatigue through production of ammonia during exercise [42-44]. Davani-Davari *et.al*, 2019 recommended optimal daily dose and intake duration of common supplemental amino acids like L-Carnitine, L-Arginine, and Glutamine in athletes and bodybuilders [45]. NaHCO₃ has been proposed as a performance enhancing aid by reducing acidosis during exercise but to which extent, remains unclear due to the inconsistencies in the study results of Hadzic *et.al*, 2019 [46]. However, Wang *et.al*, 2019 reported that supplementation of HCO₃⁻ at the level of 0.2 g/kg body mass before HIIT training enhances the effect of HIIT on anaerobic performance [47]. Potential disadvantages of supplement use include expense, false expectancy, and the risk of ingesting banned substances sometimes present as contaminants [48]. Several studies have shown the important role of gene polymorphisms in aerobic performance. Mitochondrial DNA encodes some proteins of the oxidative phosphorylation enzymatic complex, playing an important role in aerobic ATP production; therefore, it can contribute to the ability to respond to endurance exercise training [49]. Both Maciejewska-Skrendo and Cao *et.al*, 2019 suggested that Peroxisome

proliferator-activated receptor delta (PPARD) gene is associated with dynamic balance performance of human being [50,51]. Iron and Magnesium supplementation have the best quality evidence for improvements to markers and outcomes related to exercise capacity and athletic performance [39], [52,53]. The use of creatine supplementation is still controversial. It is pertinent for sports foods and nutritional supplements to be considered only where a strong evidence base supports their use as safe, legal, and effective and that such supplements are trialed thoroughly by the individual before committing to use in a competition setting. Pre-exercise nutrition should consider a multitude of factors including nutrient composition, digestibility, potential untoward effects and suitability.

Acknowledgement

I'm thankful to Dr. Fernando Pareja Blanco, Physical Performance & Athletic Research Center, Pablo de Olavide University, Seville, Spain for his valuable time to audit my paper and for his thoughtful suggestions. I'm also grateful to seminar library of Faculty of Pharmacy, University of Dhaka and BANSDOC Library, Bangladesh for providing me books, journal and newsletters.

Abbreviations

high-intensity interval training (HIIT); sodium bicarbonate (NaHCO₃); low energy availability (LEA); caloric restriction (CR); International Association of Athletics Federations (IAAF); Peroxisome proliferator-activated receptor delta (PPARD); light-load sled towing (LST); change of direction (COD); Carbohydrates (CHO)

Financial Disclosure or Funding: N/A

Conflict of Interest: The author declares that he has no competing interests.

Informed Consent: N/A

Author contributions: N/A

References

1. PTI. (2017) Women have more stamina than men, says new study. *The Economic Times*, 27(8),
2. Endurance Machine. Endurance vs Stamina: Are They the Same Thing? *Kettle100*, 4 January, 2019.
3. Ward T. How To Increase Stamina And Stay Injury-Free. *FashionBeans (Men's Fitness)*.
4. Abd-Elfattah, H. M., Abdelazeim, F. H., & Elshennawy, S. (2015). Physical and cognitive consequences of fatigue: A review. *Journal of advanced research*, 6(3), 351-358.
5. Brotherhood, J. R. (1984). Nutrition and sports performance. *Sports Medicine*, 1(5), 350-389.
6. Jäger, R., Kerksick, C. M., Campbell, B. I., Cribb, P. J., Wells, S. D., Skwiat, T. M., ... & Smith-Ryan, A. E. (2017). International society of sports nutrition position stand: protein and exercise. *Journal of the International Society of Sports Nutrition*, 14(1), 20.
7. Pons, V., Riera, J., Capó, X., Martorell, M., Sureda, A., Tur, J. A., ... & Pons, A. (2018). Calorie restriction regime enhances physical performance of trained athletes. *Journal of the International Society of Sports Nutrition*, 15(1), 12.
8. Mohiuddin, A. K. (2019). Patient Intermittent Fasting and Adding More days to Life. *International Journal of Current Science and Multidisciplinary Research*, No-121.
9. Gomez, J., Bradley, J., & Conway, P. (2018). The challenges of a high-performance student athlete. *Irish Educational Studies*, 37(3), 329-349.
10. Buckner, S. L., Jessee, M. B., Dankel, S. J., Mattocks, K. T., Abe, T., & Loenneke, J. P. (2018). Resistance exercise and sports performance: The minority report. *Medical hypotheses*, 113, 1-5.
11. Schoenfeld, B. J., Contreras, B., Krieger, J., Grgic, J., Delcastillo, K., Belliard, R., & Alto, A. (2019). Resistance training volume enhances muscle hypertrophy but not strength in trained men. *Medicine and science in sports and exercise*, 51(1), 94.
12. Petr , H., L fving, P., & Psilander, N. (2018). The Effect of Two Different Concurrent Training Programs on Strength and Power Gains in Highly-Trained Individuals. *Journal of sports science & medicine*, 17(2), 167.
13. Vikmoen, O., R nnestad, B. R., Ellefsen, S., & Raastad, T. (2017). Heavy strength training improves running and cycling performance following prolonged submaximal work in well-trained female athletes. *Physiological reports*, 5(5), e13149.
14. Kershner K. Bigger Muscles Don't Mean Stronger Muscles, *Ya Meatheads*. Howstaffworks, 10 November 2016.
15. Rogers P. Muscle Size Versus Strength. *verywellfit*, July 26, 2019.
16. Suchomel, T. J., Nimphius, S., & Stone, M. H. (2016). The importance of muscular strength in athletic performance. *Sports medicine*, 46(10), 1419-1449.
17. Suchomel, T. J., Nimphius, S., Bellon, C. R., & Stone, M. H. (2018). The importance of muscular strength: training considerations. *Sports medicine*, 48(4), 765-785.
18. Nystoriak, M. A., & Bhatnagar, A. (2018). Cardiovascular effects and benefits of exercise. *Frontiers in cardiovascular medicine*, 5, 135.
19. Evans, J. W. (2019). Periodized Resistance Training for Enhancing Skeletal Muscle Hypertrophy and Strength: A Mini-Review. *Frontiers in physiology*, 10.
20. Burke, L. M., Castell, L. M., Casa, D. J., Close, G. L., Costa, R. J., Desbrow, B., ... & Saunders, P. U. (2019). International Association of Athletics Federations Consensus Statement 2019: Nutrition for Athletics. *International Journal of Sport Nutrition and Exercise Metabolism*, 29(2), 73-84.

21. Guest, N. S., Horne, J., Vanderhout, S., & El-Soheymy, A. (2019). Sport nutrigenomics: Personalized nutrition for athletic performance. *Frontiers in nutrition*, 6, 8.
22. Van Cutsem, J., Marcora, S., De Pauw, K., Bailey, S., Meeusen, R., & Roelands, B. (2017). The effects of mental fatigue on physical performance: a systematic review. *Sports medicine*, 47(8), 1569-1588.
23. Schiphof-Godart, L., Roelands, B., & Hettinga, F. J. (2018). Drive in sports: how mental fatigue affects endurance performance. *Frontiers in psychology*, 9.
24. Martin, K., Meeusen, R., Thompson, K. G., Keegan, R., & Rattray, B. (2018). Mental fatigue impairs endurance performance: a physiological explanation. *Sports Medicine*, 48(9), 2041-2051.
25. Chaabene, H., Negra, Y., Bouguezzi, R., Mkaouer, B., Franchini, E., Julio, U., & Hachana, Y. (2017). Physical and physiological attributes of wrestlers: an update. *The Journal of Strength & Conditioning Research*, 31(5), 1411-1442.
26. Franchini, E., Cormack, S., & Takito, M. Y. (2019). Effects of High-Intensity Interval Training on Olympic Combat Sports Athletes' Performance and Physiological Adaptation: A Systematic Review. *The Journal of Strength & Conditioning Research*, 33(1), 242-252.
27. Schroeder, E. C., Franke, W. D., Sharp, R. L., & Lee, D. C. (2019). Comparative effectiveness of aerobic, resistance, and combined training on cardiovascular disease risk factors: A randomized controlled trial. *PLoS one*, 14(1), e0210292.
28. Melin, A. K., Heikura, I. A., Tenforde, A., & Mountjoy, M. (2019). Energy availability in athletics: Health, performance, and physique. *International journal of sport nutrition and exercise metabolism*, 29(2), 152-164.
29. Ackerman, K. E., Holtzman, B., Cooper, K. M., Flynn, E. F., Bruinvels, G., Tenforde, A. S., ... & Parziale, A. L. (2019). Low energy availability surrogates correlate with health and performance consequences of Relative Energy Deficiency in Sport. *Br J Sports Med*, 53(10), 628-633.
30. Roberts, J., Zinchenko, A., Mahubani, K., Johnstone, J., Smith, L., Merzbach, V., ... & Henselmans, M. (2019). Satiating Effect of High Protein Diets on Resistance-Trained Subjects in Energy Deficit. *Nutrients*, 11(1), 56.
31. King, A. J., O'Hara, J. P., Morrison, D. J., Preston, T., & King, R. F. (2018). Carbohydrate dose influences liver and muscle glycogen oxidation and performance during prolonged exercise. *Physiological reports*, 6(1), e13555.
32. Durkalec-Michalski, K., Nowaczyk, P. M., & Siedzik, K. (2019). Effect of a four-week ketogenic diet on exercise metabolism in CrossFit-trained athletes. *Journal of the International Society of Sports Nutrition*, 16(1), 16.
33. McSwiney, F. T., Wardrop, B., Hyde, P. N., Lafountain, R. A., Volek, J. S., & Doyle, L. (2018). Keto-adaptation enhances exercise performance and body composition responses to training in endurance athletes. *Metabolism*, 81, 25-34.
34. Raj, M. A., & Rogol, A. D. (2018). Female Athlete Triad. In *StatPearls [Internet]*. StatPearls Publishing..
35. Moore CA, Bokor BR. Anorexia Nervosa. [Updated 2019 May 14]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2019
36. Spriet LL. Performance Nutrition for Athletes. *Sports Med*. 2019 Feb;49(Suppl 1):1-2. doi: 10.1007/s40279-018-1027-9. PubMed PMID: 30671901; PubMed Central PMCID: PMC6445808.
37. Murtaza, N., Burke, L. M., Vlahovich, N., Charlesson, B., O'Neill, H., Ross, M. L., ... & Morrison, M. (2019). The effects of dietary pattern during intensified training on stool microbiota of elite race walkers. *Nutrients*, 11(2), 261.
38. Paoli A. Advances in Sport and Performance Nutrition. *Nutrients*. 2019 Mar 2;11(3).
39. Heffernan, S. M., Horner, K., De Vito, G., & Conway, G. E. (2019). The Role of Mineral and Trace Element Supplementation in Exercise and Athletic Performance: A Systematic Review. *Nutrients*, 11(3), 696.
40. Mohiuddin AK. Risk Associated with Supplements and Enhancing Drugs: Letter to the Editor. *ARC Journal of Research in Sports Medicine*. 2019; 4(1):9 - 13.
41. Pickering, C., Grgic, J. (2019). Caffeine and Exercise: What Next? *Sports Med*, 49(7),1007-1030.
42. Ahmadi, A. R., Rayyani, E., Bahreini, M., & Mansoori, A. (2019). The effect of glutamine supplementation on athletic performance, body composition, and immune function: A systematic review and a meta-analysis of clinical trials. *Clinical Nutrition*, 38(3), 1076-1091.
43. Chang, S. C., Lai, Y. C., Hung, J. C., & Chang, C. Y. (2019). Oral glutamine supplements reduce concurrent chemoradiotherapy-induced esophagitis in patients with advanced non-small cell lung cancer. *Medicine*, 98(8).
44. Coqueiro, A. Y., Rogero, M. M., & Tirapegui, J. (2019). Glutamine as an Anti-Fatigue Amino Acid in Sports Nutrition. *Nutrients*, 11(4), 863.
45. Davani-Davari, D., Karimzadeh, I., Sagheb, M. M., & Khalili, H. (2018). The renal safety of L-carnitine, L-arginine, and glutamine in athletes and bodybuilders. *Journal of Renal Nutrition*.
46. Hadzic, M., Eckstein, M. L., & Schugardt, M. (2019). The Impact of Sodium Bicarbonate on Performance in Response to Exercise Duration in Athletes: A Systematic Review. *Journal of sports science & medicine*, 18(2), 271.
47. Wang, J., Qiu, J., Yi, L., Hou, Z., Benardot, D., & Cao, W. (2019). Effect of sodium bicarbonate ingestion during 6 weeks of HIIT on anaerobic performance of college students. *Journal of the International Society of Sports Nutrition*, 16(1), 18.
48. Peeling, P., Castell, L. M., Derave, W., de Hon, O., & Burke, L. M. (2019). Sports foods and dietary supplements for optimal function and performance enhancement in track-and-field athletes. *International journal of sport nutrition and exercise metabolism*, 29(2), 198-209.
49. Stefano, E., Marsigliante, S., Vetrugno, C., & Muscella, A. (2019). Is mitochondrial DNA profiling predictive for athletic performance?. *Mitochondrion*.

50. Maciejewska-Skrendo, A., Buryta, M., Czarny, W., Król, P., Spieszny, M., Stastny, P., ... & Sawczuk, M. (2019). The Polymorphisms of the Peroxisome-Proliferator Activated Receptors' Alfa Gene Modify the Aerobic Training Induced Changes of Cholesterol and Glucose. *Journal of clinical medicine*, 8(7), 1043.
51. Cao, Y., Zhang, Q., Chen, J., Li, Z., Zhou, Z., Shen, J., ... & Wang, X. (2019). Polymorphism of the PPARD Gene and Dynamic Balance Performance in Han Chinese Children. *Hereditas*, 156(1), 15.
52. Córdova, A., Mielgo-Ayuso, J., Fernandez-Lazaro, C. I., Caballero-García, A., Roche, E., & Fernández-Lázaro, D. (2019). Effect of Iron Supplementation on the Modulation of Iron Metabolism, Muscle Damage Biomarkers and Cortisol in Professional Cyclists. *Nutrients*, 11(3), 500.
53. Zhang, Y., Xun, P., Wang, R., Mao, L., & He, K. (2017). Can magnesium enhance exercise performance?. *Nutrients*, 9(9), 946.